





Technomed understands the importance of a crystal clear signal, ease of use, repositionability and good grounding.

Technomed's Disposable Adhesive Surface Electrode is designed with an Ag/AgCl sensor and an extra thick and flexible conductive gel. The electrodes, for recording, stimulation and ground use, are highly flexible and can be repositioned on all types of skin.

The electrode is designed for patient comfort and user friendliness with soft wires and an optimized connector for easy headbox insertion and extraction.

User Benefits

- · Clear and reliable signal with optimized sensor
- Improved patient comfort with skin friendly soft and flexible materials
- Extra large soft and flexible gel patch with high repositionability

Available variants

| Product Description | Wire Color | Surface | Wire Length | Packing | Part Number |
|-----------------------------|------------|------------|-------------|-----------|---------------|
| Disposable Ground Electrode | Green | 40 x 50 mm | 1 m | 20 pieces | TE/K50431-002 |
| Disposable Ground Electrode | Green | 40 x 50 mm | 2 m | 20 pieces | TE/K50431-003 |

| Product Description | Wire Color | Diameter | Wire Length | Packing | Part Number |
|------------------------------|-------------------------|----------------|-------------|---------|---------------|
| Disposable 4-Disk Electrodes | Red, Blue, Green, Black | 20 mm disk x 4 | 1 m | 10 sets | TE/K50430-001 |
| Disposable 4-Disk Electrodes | Red, Blue, Green, Black | 20 mm disk x 4 | 1.5 m | 10 sets | TE/K50430-015 |
| Disposable 4-Disk Electrodes | Red, Blue, Green, Black | 20 mm disk x 4 | 2 m | 10 sets | TE/K50430-002 |
| Disposable 4-Disk Electrodes | Red, Blue, Green, Black | 20 mm disk x 4 | 2.5 m | 10 sets | TE/K50430-025 |



Specifications

| Hydrogel | Solid | | |
|---------------------------------|-------------------|--|--|
| Lead-free | √ | | |
| Latex-free | \checkmark | | |
| BPA-free | \checkmark | | |
| DEHP < 0.1% by weight | √ | | |
| REACH & RoHS compliant | \checkmark | | |
| Lead wire core | Tin Plated Copper | | |
| Lead wire insulation | PVC | | |
| Connector | DIN 42802 | | |
| Shelf life for unopened pouches | 24 months | | |











Technomed

Amerikalaan 71 6199 AE | Maastricht-Airport | The Netherland T +31 43 408 68 68 | info@technomed.nl

Technomed USA

White Bear Township | MN 55127 | United States
T +1 651 288 0890 | info@technomed-usa.com

www.technomed.nl